



**be different.
make a difference.
asa-Agricultural References**

Agricultural References



Landscape Technology

ASA TT 11 rail 12V DC

- wavy "easy clean" air fin
- asa rail system with flexible connector and mounting system
- up to 15kW cooling performance



Agricultural References

Farm Technology / cranes

Oil/air cooler OKO 25

- compact cooler 12V DC cooler
- temperature controlled fan
- IP69k connection to temperature sensor



Agricultural References

Forestry and Harvesters

Rubber compensator / expansion joint

- with SAE 4-bolt flange
- NG 90 connection / 80 size bellow
- NBR/CR rubber configuration



Agricultural References

Forestry Machines / winches

Low Line 04 DC

- wavy "easy clean" air fin
- 2,8kW cooling performance
- Standard G 3/4" threads



P PFANZELT
MASCHINENBAU



Agricultural References

Wood processor

Low Line 06 12V DC

- wavy "easy clean" air fin
- standard G 3/4" threads
- internal 2 bar bypass
- optional 230/400V AC fan



Agricultural References

Forestry Machines / Forestry Cranes

Oil/air cooler double fan DC cooler 0367

- 2 x high performance fan Ø300mm
- internal 2 bar bypass for cold start
- incl. asa universal connector system



Agricultural References

Double-blade mowers

Low Line 04 DC

- wavy "easy clean" air fin
- 2,8kW cooling performance
- Standard G 3/4" threads



Agricultural References

Forestry cranes

ASA 0176/TT16 rail 24V DC H-Protect

- robust protection housing
- high flow performance / low pressure drop
- optimized fan drive
- very long life DC motor



Agricultural References

Harvesters

2x Oil/air cooler ASA 0567 AUC

- with 11cm³ hydraulic fan drive
- asa universal connector system
- up to 100kW cooling performance



ASA-LIFT GRIMME GROUP




Agricultural References

Fertilizers and Sprayers

Oil/air cooler ASA 0256 12V DC

- high performance 12V DC fan unit
- durable IP 68 motor
- flexible asa universal connector system



Agricultural References

Strip-till drill

Low Line 06 radiator

- wavy "easy clean" air fin
- internal 2 bar bypass
- standard G 3/4" threads
- using machine propelled seed fan blower



mzuri



Agricultural References

Fertilizers and Sprayers

Oil/air cooler Low Line 06 DC

- IP 68, 12V DC fan unit
- internal 2 bar bypass
- easy clean - wavy air fin



Agricultural References

Wood cutter / stump grinder

Oil/air cooler ECO 07 S

- IP 68, 12V DC fan unit
- internal 2 bar bypass
- easy clean - wavy air fin



Agricultural References

Wood and green waste shredder

Oil/air cooler ASA 0927 AUC

- with 34cm³ hydraulic fan drive
- asa universal connector system
- inclusive 2 bar bypass
- up to 100kW cooling performance



Get in contact!

www.asa-innovation.com
support@asa-innovation.com
+43 1 292 40 20



AUSTRIA

asa hydraulik GmbH
R&D center
Prager Strasse 280
A-1210, Vienna

CHINA

asa Technology (Suzhou) Co. Ltd.
Jiangsu Suzhou Industrial Park
Fangzhou Road No 128,
area 6, building B

INDIA

asa heatexchanger Pvt Ltd
Plot no.1226, Phase-3 GIDC, Vatva
Ahmedabad-382445

BRASIL

asa hidráulica Ltda
Rua Maria Fett 96, 03263-000 Vil Mercedes
São Paulo, SP

AUSTRIA

asa technology Produktions-
und Vertriebs GmbH
Prager Strasse 241-243
A-1210, Vienna

USA

asa hydraulik of America
160 Meister Avenue 20 A
Branchburg, New Jersey 08876

AUSTRALIA

asa Products Pty Ltd
Quinlan Road 23
3076 Epping, Victoria

